


# 5000L滑劑母粒

Slip Agent & Anti-blocking Master Batch In Film Grade



名言塑膠顏料有限公司 (MIN YEN PLASTICS CO., LTD)

桃園市楊梅區民豐路505號

NO.505, MINFENG RD., YANGMEI DISTRICT, TAOYUAN CITY 326, TAIWAN(R.O.C)

TEL:+886-3-472-7809

FAX:+886-3-472-4758

E-mail:minyen.plastic@gmail.com

# MinYen Advantages

## 名言優勢

01

Has a Global Certification of ISO9001  
通過ISO9001品質認證

02

Over 30 years of experience in Master Batch Manufacture  
超過30年以上的母粒專業製造經驗

03

Long-term cooperation with Chemical giants, such  
as Clariant, DoPont, Mitsubishi Chemichal  
和歐美日化工大廠，如克萊恩、杜邦、三井化學長  
期技術合作



The management system of standardization  
標準化經營體系

- ISO9001 認證



# MinYen - The Advantages of Slip Agent & anti-blocking Master Batch

## 名言滑劑抗黏母粒優點



**Excellent slip and anti block effect. Made form vegetable oil with great heat resistance.**

5000L開口劑粒，是針對PE、PP的滑性及抗粘性，採自天然棕櫚油，所開發之植物性滑劑粒，本產品耐溫性亦佳

**High concentrate, Slip agent and anti blocking agent two in one. Low dosage, Double effect.**

高濃度滑劑、抗黏劑雙效合一，低添加量，亦有抗粘結脫膜作用



**Made in master batch, easy to use. High Transparency in film application. It can lower friction on film surface.**

製成母粒狀，易於計量控制，方便進料。用於薄膜上仍可維持高透明度。可降低薄膜表面摩差係數

**Manufacture process and material are all clean, suitable for food package.**

5000L生產所需之原料、助劑皆無毒性，可用於食品包裝，操作安全無慮



- 1. Under normal proper dosage, it won't affect printing and sealing.**  
正常添加情況下，不會影響凹版印刷油墨牢度和封口牢度
- 2. Lower friction on film surface, avoiding films being sticky**  
降低薄膜表面摩擦係數，防止薄膜沾黏，
- 3. Slip agent migrates slowly lightly and steady.**  
穩定而緩慢地低析出
- 4. If add over 2% , it may affect printing and sealing.**  
如添加過量超過2%，有可能導致印刷油墨牢度和封口強度差等問題



Cooperate with US  
與我們合作



# We are the Future Creator 我們是未來的開創者

1. PE, PP, EVA, TPU Plastics Experts 軟料的母粒專家
2. Additives MB 添加劑母粒
3. Caco3 MB 碳酸鈣母粒
4. Blowing, Injection, Extrusion Color MB 吹膜 射出 押出 中空成形色母
5. Nano Silver Liquid 奈米銀離子液體